


ADVANCED SOLUTIONS FOR WASTE TREATMENT PLANTS

from concept to implementation



RECYCLING



WASTE TO FUEL



TURN INTO GREEN

www.redwave.com

YOUR PARTNER FOR TURNKEY PLANT SOLUTIONS









REDWAVE WASTE COMPETENCES AND TECHNOLOGIES













Process Consultancy

- Definition of requirements
- Sorting tests
- Feasibility study
- Preliminary planning

Detailed Engineering

- Classification of technical interfaces •
- Establishment of mass balance
- Technical specification of plant components
- Process and instrumentation diagram •
- Detailed plant engineering
- Supporting services for the plant operator (planning, supervising) •

Project Management

- Procurement
- Coordination of all parties involved
- Project scheduling

Manufacturing – Supply of equipment

- Quality assurance
- Factory acceptance tests of third-party supplier deliveries
- Preparation of operation manuals
- Packing and shipment

Installation – Commissioning


- Site coordination
- Mechanical and electrical installation
- Commissioning
- Training of plant personnel
- Plant implementation as general constructor

Customer Service

- Remote access for support
- Service contracts
- Preventive services
- Service hotline



MECHANICAL







RECYCLING

- Max. recovery of tailored RDF for WtE-systems
- Recovery of recyclables: •
 - ferrous and non-ferrous metals
 - plastics
 - glass, stones, ceramics
- Reduction of landfill • disposal
- **REDWAVE** in-house sensor • based sorting machines

- Max. recovery of clean dry SRF & recyclables
- Tailored systems for: - coal co-firing
 - advanced WtE-tech-
 - nologies (gasification)
- Minimisation of landfill disposal
- REDWAVE in-house sensor based sorting technolgy
- REDWAVE biocell technology for biological tunnel drying

MECHANICAL-BIOLOGICAL

IN-VESSEL COMPOSTING / STABILISATION

WASTE TO FUEL



TURN INTO GREEN

- Aerobisation and composting of digestate
- Source separated organics composting
- Sewage sludge composting
- REDWAVE biocell technology for tunnel composting for sanitisation and stabilization of green waste





MECHANICAL TREATMENT


BASIC SOLUTIONS

FOCUS


- Loosen up and preparation of the feedstock for the downstream sorting
- Separation of recyclables such as metal, paper, cardboard, plastics etc.
- Separation of contaminants such as PVC, aggregates etc.
- Production of RDF/SRF according to the client's specification
- Reduction of the materials to be landfilled



ADVANCED SOLUTIONS



downstream sorting lboard, plastics etc. es etc. ecification



PRE-TREATMEN

Preparation for the downstream process

- Shredding
- Ferrous separation
- Pre-sorting

2 MATERIAL CLASSIFICATION

Processing of specific fractions according to their physical properties

- Shredding
- Screening
- Wind shifting

3 SEPARATION

Recovery of recyclables and separation of impurities

- Sensor based sorting
- Ballistic separation
- Magnetic sorting
- •

4 PACKAGING / LOADING

Packing and transport

- Loose or compacted
- Baled and wrapped
- Soft pelletised



MECHANICAL BIOLOGICAL STABILIZATION

FOCUS

- Loosen up and prepartion of the feedstock for the downstream biodrying and sorting
- Separation of recyclables such as metals, paper, cardboard, plastics etc. • Biodrying to:
 - improve the sorting efficiency increase the calorific value

 - mass loss due to the reduction of the water content
 - good storage capability because of the biological stabilisation
- Separation of contaminants such as PVC, aggregates etc.
 Production of SRF according to the client's specification
 Reduction of the material to be landfilled








ADVANCED SOLUTIONS







Preparation for the downstream process

- Shredding
- Ferrous separation
- Pre-sorting

2

Reduction of the MSW water content up to <20%

- Increase of the calorific value
- Biological stabilization

3 MATERIAL CLASSIFICATION

Processing of specific fractions according to their physical properties

- Shredding
- Screening
- Windshifting

4


Recovery of recyclable materials, separation of non-combustible materials

- Sensor-based sorting
- Ballistic separation
- Magnetic separation
- Windshifting, density separation

5 LOADING


Packing and transport

- Loose or compacted
- Baled and wrapped
- Soft pelletised





DRYING AND COMPOSTING



BIOLOGICAL STABILISATION (DRYING):

Benefits:

- Unlike thermal drying no fossil fuel or external heat is required (low power consumption)
- Landfill diversion rate greater 85% achievable
- Inerts can be used as landfill cover
- Low space requirements due to short retention time of the waste inside the biodrying unit (4-10 days)
- Outgoing products meet industrial requirements (SRF, metals, recyclables)
- SRF is recogniced as a quality fuel for thermal processes (coal fired power plants, cement kilns etc.)
- Proven and reliable technology

IN-VESSEL COMPOSTING:

Benefits:

- Optimised microbial environment
- Enhance natural breakdown and speed up composting compared to conventional composting systems
- Reduce organic waste
- Convert the remaining organic waste into compost
- Sanitisation of the feedstock guaranteed
- Enclosed system
- Odour control according to European requirements
- Recycling of condensate

BIOCELL DRYING BOX

- Enclosed system
- Monitored system
- Lowest maintenance
- Highly economical

(2)

- Forced ventilation by tailor-made aeration floor
- Special arrangement of the nozzles to allow for an optimal ventilation
- Inverter controlled air flow



3

- Fines and ammonia reduction of the exhaust air
- Humidification of the air flow prior to the biofilter
- Low maintenance
- High reliability

4

• Completely natural

- process
- Low maintenance
- Low energy costs
- High reliability
- Long duration of the biofilter media


The new generation of INTELLIGENT sorting

FOCUS

- · Sorting, recovery and quality improvement of recyclables
- Reduction of chlorine content in RDF/SRF
- Enrichment of combustibles

OPTICAL SORTING FOR RECYCLING AND WASTE















REDWAVE SORTERS

- Cutting-edge sorting technology
- Highest reability and efficiency
- Highest sorting accuracy at high throughputs
- Increased value of the material, increased profit
- Instant online support
- Ready for industry 4.0



BENEFITS OF THE NEW REDWAVE NIR

- Simple and short-term implementation on site
- Place connect start
- All-in-one black box design
 - no wiring on surface
 - flat design

• Electrical improvements

- Lower energy consumption
- Improved energy saving light system
- New designed temperature management



SORTING

- Municipal Solid Waste Recovery and sorting of: - plastics
- paper and board
- combustible materials - metal
- (ferrous/non-ferrous)
- glass (different material and/or colour)
- RDF/SRF
- Construction and **Demolition Waste**
- Plastics Sorting of lightweight packaging: - PET (different material
- and/or colour)
- HDPE + LDPE - PP/PS
- PVC
- Paper
- cardboard
- news & pams
- tetra



• Execution: 2-way-system or 3-way system

Improved maintainability

- Floor flap for activities inside
- Easy access, maintenance-friendly
- Pneumatical swiveling of valvebox
- Enhanced belt exchange
- Flexible interface

Maximal flexibility

- Easy upgrade from 2-way to 3-way system
- Sensor fusion (NIR/RGB/METAL)



Locations



HEADQUARTERS – Austria

Gleisdorf, Austria office@redwave.com



REDWAVE Solutions Pte. Ltd. Singapore, Singapore office-singapore@redwave.com



REDWAVE Waste GmbH Wetzlar, Germany office-germany@redwave.com

3 SUBSIDIARY – US

REDWAVE Solutions US LLC Atlanta - Georgia, USA office-us@redwave.com

5 SUBSIDIARY – China

REDWAVE Environmental Science & Technology (Shanghai) Co. Ltd. Shanghai, China office-china@redwave.com

REDWAVE, a Competence Center of BT-Systems GmbH, Wolfgang Binder Str. 4, 8200 Eggersdorf bei Graz, Austria Tel.: +43 3117 25152 2200, E-Mail: office@redwave.com, www.redwave.com